







ACCORD VITRIFIED PVT. LTD.

S. No. 151/P3, Nr. Narmada Canal, Morbi - Halvad Road, At. Unchi Mandal, Morbi - 363 642, Gujarat, INDIA

Contact: +91 97264 20209 Email: info@accordvitrified.com Web.: www.accordceramics.com

Join us on : f 🞯 in



<u>ABOUT</u> <u>COMPANY</u>

"The best way to predict the future is to create it."

Accord Vitrified Pvt Ltd established in 2007, stands at the forefront of innovation and craftsmanship. Our machinery with cutting-edge technology along with mighty production capacity that is spread over vast land is capable of delivering unmatched quality tiles that set the new benchmark. We have won various awards and received various certificates regarding our process excellence in manufacturing.



Building Area 155K sq. mtrs

Office Area
8K sq. mtrs

Land Area
200K sq. mtrs

Production Capacity
2110 sq. mtrs per year

INFRASTRUCTURE

Be it a country as a whole or your home, it is the infrastructure that decides how successful it is going to be. This signifies its vitality and need for large investment for that. Infrastructure development is not possible without a large-scale production capacity of quality tiles at hand. We therefore focus on developing the tile industry and contributing to society

We created our ceramic tile industry which has a formidable infrastructure spread over a vast area of 92000sq mt, seamlessly blending creativity and precision to bring unparalleled quality and design with sheer pace due to our 4 million square mt per day production capacity.

INTRODUCTION

We are bringing in aesthetically graceful tiles with vibrant designs of high glossy finish to dazzle every surface. It is going to raise the benchmark of interiors and exteriors of every place as we are about to deliver tiles whose quality is not known before.



INSPIRATION DESIRE & QUALITY

Drawing influence from quarries, we meticulously designed tiles with intricate patterns of top-notch quality to provide a pleasing experience to every client and take inspiration from nature in its design.



DRIVING FORCE


We have always believed in delivering the finest attributes of tiles and making sure that we resemble nature in its making. This belief becomes our driving force in crafting tiles that have the essence of nature and marble quarries signify its elements.


Characterized by intricate veins, unique patterns, and a spectrum of hues, marble quarries have been a source of inspiration for artists and architects for centuries. We have taken the leaf out of marble quarries in the making of our tiles in the design patterns and it acts as a driving force for us to create a fabulous finish surface that gives everyone the feel of marble in the tile itself. It's not just about tiles; it's about bringing the essence of marble quarries into your surroundings, creating a harmonious blend of nature's beauty and human craftsmanship

The patterns embedded in our tiles tell a story of the earth's wonders, translating the grandeur of marble quarries into a tangible, stunning finish. With every tile, we strive to replicate the unique elements of marble, providing spaces with a touch of opulence and the unmistakable feel of natural marvels

SIZE/ FORMAT

<u>Size</u> 60x120cm <u>Finish</u> High Gloss **Thickness** 9mm






HIGH GLOSS **FINISH**

The HIGH GLOSS finish is achieved through polishing and glazing techniques. High Gloss finish tiles boast a dazzling, mirror-like brilliance where light bounces off from each surface. It transforms space into a luminous haven and imparts a sense of the vastness of space. High Gloss tiles impart a rich look to the surface that captivates everyone's glare. It can be the perfect or ideal choice for compact areas which doesn't have adequate sunshine.

High Gloss finish tiles are also easy to clean and they also come wide array of variety and patterns which makes it everyone's pick without any doubt. They become a focal point, adding a touch of glamour to your interiors. The seamless, reflective surface accentuates the visual impact, turning every room into a showcase of timeless beauty.

FEATURES



Our tiles not only brighten up the eyes through their radiance and give an aesthetically pleasing experience but also stand the test of time as it is fireproof, impact-resistant, chemical-resistant, and easy to clean making them an ideal and smart choice for any environment. Apart from that it is also frost-resistant which signifies its sheer strength and durability. In addition to this, it is also very easy to install and the process doesn't take much effort or time which makes it perfect for your every need.








Easy Installation



Frost Resistance

RICHNESS THAT YOU CAN FEEL

The Applications Area which applicable in Wall and Floor



The ravishing look of our high gloss finish tiles creates an awe-inspiring gaze and it can be the unmatched choice for your flooring needs.

A dazzling high glow finish is going to be your go-to choice for a wall to captivate everyone's attention.

VERSATILE **SPACE APPLICATION**

Our tiles are pretty much applicable everywhere. Our tile is known for its versatile character due to its sturdiness and durability along with lustrous looks. It is going to be the legit choice for every home across the place as it has aesthetic appeal and sheer strength.

Our tiles are also 1st choice in outdoor places or places of high traffic and have more chances of strain. Airports, Industry, Railway platforms, etc have a high rush of people and our tile is go- to choice for them. Your hotel and restaurant to attract people so our durable and dazzling tiles are your ideal choice. Also, gym, hospitals, halls, etc needs our tiles.





Residential

Corporate Building





Hospitals

Airports

www.accordceramics.com





Gymnasium



Hotels, Cafes & Restaurants

Halls & Corridors



Industrial




GL

> < 9 mm


GLAZED VITRIFIED TILES

ALASKA WHITE



Random - 3

FOYER GREEN












ONYX MULTY




>k 9 mm

Random - 4

ARGOS BLACK















PANDA NATURAL



> < 9 mm

Random - 5

PANDA WHITE














BRAZILLIAN BLUE




>k 9 mm




Random - 4

BRECCIA CLASSIC









Random - 4






GLAZED

GLAZED VITRIFIED TILES


CELINE BLACK



>k 9 mm

Random - 5

CLASSIC EMPERADOR









60X120 CM	24"X48" 2'X4'	HIGH GLOSSY FINISH

EMPERADOR OSCURO



> < 9 mm



Random - 5

EVEN GREY










Random - 4

 \bigcirc **EMPERADOR OSCURO**



FOREST BROWN




> < 9 mm

Random - 5

MADERA FOREST













60X120 CM	24"X48" 2'X4'	HIGH GLOSSY FINISH
-----------	-----------------	--------------------

> < 9 mm

GLAZED VITRIFIED TILES

LEVANTO BROWN



Random - 7

LEVANTO NATURAL













GL

>k 9 mm

GLAZED VITRIFIED TILES


MATRIX BLACK





Random - 3

NERO MARQUINA












OPERA AZUL



>k 9 mm



Random - 4

RAINBOW BROWN















ROSALIA BEIGE



> < 9 mm

Random - 4

SAHARA BLACK











STOINIS BLUE



>k 9 mm



Random - 4

STOINIS NATURAL














Gl

> < 9 mm


GLAZED VITRIFIED TILES


THUNDER BLACK



Random - 6

TRIESTA NOIR











>k 9 mm

GLAZED VITRIFIED TILES


WINDSOR BLUE





Random - 4

MARINA PEDRA













> < 9 mm

GLAZED VITRIFIED TILES


RIVER CEDAR



Random - 4

RIVER NATURAL












CARLO BLACK






Random - 3

ZED BLACK




STONE GOLD



Random - 4

STONE WHITE






Random - 3

> < 9 mm

GLAZED VITRIFIED TILES

Random - 4




MARQUINA BLACK

Random - 4










BLACK ONYX





QUARTZ BLACK

>l< 9 mm


GLAZED VITRIFIED TILES



> < 9 mm

GLAZED VITRIFIED TILES

ALMORE WHITE




Random - 3

AURA BIANCO














EMPORIO GREEN



Random - 3

EMPORIO BLUE















60X120 CM	24"X48"	2'X4'	HIGH GLOSSY FINISH

ELEGANT BLUE



>k 9 mm

CANVAS MINT







FLORENCE WHITE

> < 9 mm



Random - 3


60X120 CM | 24"X48" | 2'X4' HIGH GLOSSY FINISH








GLEAM WHITE



> < 9 mm

Random - 4

GLITTER WHITE












60X120 CM | 24"X48" | 2'X4' HIGH GLOSSY FINISH

GLAZED VITRIFIED TILES


JASTO AZUL



> < 9 mm

Random - 4

JORDAN BIANCO










JORDAN BIANCO



60X120 CM 24"X48	" 2'X4'	HIGH GLOSSY FINISH		
>l< 9 mm	GLAZED VITRIFIED TILES			

LUMINOUS GOLD



Random - 4

LUX BIANCO










LUMINOUS GOLD



>l< 9 mm GL


GLAZED VITRIFIED TILES

MAJESTIC WHITE



Random - 3

BOLIVIA BLUE













ROYAL BLUE




> < 9 mm




Random - 4

URBANE GREY














ARKLAM GOLD




> < 9 mm

Random - 4

ARKLAM GREEN









CORCHIA WHITE



> < 9 mm

Random - 4

LUX GREEN










CORCHIA WHITE



ONICE GRIGIO




> < 9 mm

Random - 4

VERDE ANTIGUA















MURAL AQUA



> < 9 mm

Random - 7

MURAL GOLD











60X120 CM | 24"X48" | 2'X4' HIGH GLOSSY FINISH

>k 9 mm

GLAZED VITRIFIED TILES

HONISTER GREEN





Random - 3

HONISTER YELLOW















EXOTIC WHITE



> < 9 mm

EXOTIC AQUA







Random - 6



>k 9 mm

GLAZED VITRIFIED TILES


AMAZONITE GREEN





Random - 4

AMAZONITE NATURAL













TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE OF ACCORD PGVT	MEAN VALUE OF ACCORD GVT	Method of Testing	
REGULATORY PROPERTIES					
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2	
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2	
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2	
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2	
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2	
Color difference	Unaltered	No change	No change	ISO-10545-16	
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER	
STRUCTURAL PROPERTIES					
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3	
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082	
MASSIVE MECHANICAL PROPER	TIES				
Modulus of rupture	Min. 35 N/mm 2	Min. 40 N/mm 2	Min. 40 N/mm 2	ISO-10545-4	
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4	
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5	
SURFACE MECHANICAL PROPERTIES					
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7	
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101	
THERMO HYGROMETRIC PROPE	RTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12	
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9	
Moisture expansion	Nil	Nil	Nil	ISO-10545-10	
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8	
CHEMICAL PROPERTIES					
Chemical resistance	No damage	No damage	No damage	ISO-10545-13	
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14	
SAFETY PROPERTIES					
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17	
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.	
Lead & Cadmium giv en off	As per mfg	Does not yield	Does not yield	ISO-10545-15	
by glazed tiles		Pb. & Cd.	Pb. & Cd.		

PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x120cm	9.00 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	28.00 kg

