

GLAMOUR DE MARBELLA

#### ACCORD VITRIFIED PVT. LTD.

S. No. 151/P3, Nr. Narmada Canal, Morbi - Halvad Road, At. Unchi Mandal, Morbi - 363 642, Gujarat, INDIA


Contact: +91 97264 20209 Email: info@accordvitrified.com Web.: www.accordceramics.com

Join us on : **f o in** 









**COLLECTION '23** 



# ABOUT COMPANY

## "The best way to predict the future is to create it."

Accord Vitrified Pvt Ltd established in 2007, stands at the forefront of innovation and craftsmanship. Our machinery with cutting-edge technology along with mighty production capacity that is spread over vast land is capable of delivering unmatched quality tiles that set the new benchmark. We have won various awards and received various certificates regarding our process excellence in manufacturing.



**Building Area** 

155K sq. mtrs

Office Area

**8K** sq. mtrs

**Land Area** 

200K sq. mtrs

**Production Capacity** 

21M sq. mtrs per year


# **INFRASTRUCTURE**

Be it a country as a whole or your home, it is the infrastructure that decides how successful it is going to be. This signifies its vitality and need for large investment for that. Infrastructure development is not possible without a large-scale production capacity of quality tiles at hand. We therefore focus on developing the tile industry and contributing to society

We created our ceramic tile industry which has a formidable infrastructure spread over a vast area of 92000sq mt, seamlessly blending creativity and precision to bring unparalleled quality and design with sheer pace due to our 4 million square mt per day production capacity.

# INTRODUCTION

We are bringing in aesthetically graceful tiles with vibrant designs of Matt finish to dazzle every surface. It is going to raise the benchmark of interiors and exteriors of every place as we are about to deliver tiles whose quality is not known before.



# INSPIRATION DESIRE & QUALITY

Drawing influence from quarries, we meticulously designed tiles with intricate patterns of top-notch quality to provide a pleasing experience to every client and take inspiration from nature in its design.



#### **DRIVING FORCE**

We have always believed in delivering the finest attributes of tiles and making sure that we resemble nature in its making. This belief becomes our driving force in crafting tiles that have the essence of nature and marble quarries signify its elements.

Characterized by intricate veins, unique patterns, and a spectrum of hues, marble quarries have been a source of inspiration for artists and architects for centuries. We have taken the leaf out of marble quarries in the making of our tiles in the design patterns and it acts as a driving force for us to create a fabulous finish surface that gives everyone the feel of marble in the tile itself. It's not just about tiles; it's about bringing the essence of marble quarries into your surroundings, creating a harmonious blend of nature's beauty and human craftsmanship

The patterns embedded in our tiles tell a story of the earth's wonders, translating the grandeur of marble quarries into a tangible, stunning finish. With every tile, we strive to replicate the unique elements of marble, providing spaces with a touch of opulence and the unmistakable feel of natural marvels


www.accordceramics.com


# SIZE/ FORMAT

<u>Size</u> **60x120cm** 

Finish Matt Thickness

9mm





# MATT FINISH

Discover a world of subtle sophistication with our Matt Finish Tiles. These tiles redefine modern aesthetics by providing a refined, non-reflective surface that complements various design styles. The velvety texture of the matt finish not only adds a touch of understated elegance but also contributes to a smooth, tactile experience.

Ideal for creating serene living spaces, these tiles bring a sense of calm and tranquillity to any room. Their versatility allows them to seamlessly integrate into both contemporary and classic designs, making them a perfect choice for floors and walls alike. The muted finish minimizes glare and enhances the overall warmth of the space.

With our Matt Finish Tiles, elevate your interiors to a new level of sophistication, where style meets subtlety, and every surface becomes a canvas for timeless beauty. Experience a blend of aesthetics and practicality, as these tiles not only captivate the eye but also offer durability and easy maintenance. Redefine your living spaces with the muted allure of matt finish tiles.

# **FEATURES**







Impact Resistance



Easy Installation



Fire Resistance



Chemical Resistance



Frost Resistance

Our tiles not only brighten up the eyes through their radiance and give an aesthetically pleasing experience but also stand the test of time as it is fireproof, impact-resistant, chemical-resistant, and easy to clean making them an ideal and smart choice for any environment. Apart from that it is also frost-resistant which signifies its sheer strength and durability. In addition to this, it is also very easy to install and the process doesn't take much effort or time which makes it perfect for your every need.









# RICHNESS THAT YOU CAN FEEL

# The Applications Area which applicable in Wall and Floor







The ravishing look of our Matt finish tiles creates an awe-inspiring gaze and it can be the unmatched choice for your flooring needs.

A dazzling Matt finish is going to be your go-to choice for a wall to captivate everyone's attention.

www.accordceramics.com

# VERSATILE SPACE APPLICATION

Our tiles are pretty much applicable everywhere. Our tile is known for its versatile character due to its sturdiness and durability along with lustrous looks. It is going to be the legit choice for every home across the place as it has aesthetic appeal and sheer strength.

Our tiles are also 1st choice in outdoor places or places of high traffic and have more chances of strain. Airports, Industry, Railway platforms, etc have a high rush of people and our tile is go- to choice for them. Your hotel and restaurant to attract people so our durable and dazzling tiles are your ideal choice. Also, gym, hospitals, halls, etc needs our tiles.



Residential



Corporate Building



Gymnasium



Halls & Corridors



Hospitals



Airports



Hotels, Cafes & Restaurants



Industrial



MATT FINISH

>**I**< 9 mm

GLAZED VITRIFIED TILES

#### ATHENS CHOCO



Random - 6

#### ATHENS TAUPE











MATT FINISH

⇒k 9 mm

GLAZED VITRIFIED TILES

#### ATHENS DOVE



Random - 6

#### ATHENS GRIS







ATHENS DOVE


(2)




60X120 CM | 24"X48" | 2'X4' MATT FINISH


n GLAZED VITRIFIED TILES

#### **EDEN LIGHT GREY**



#### **EDEN GREY**







EDEN LIGHT GREY

EDEN GREY



MATT FINISH

>**l**< 9 mm


GLAZED VITRIFIED TILES

#### **EDEN CREMA**



#### **EDEN BROWN**







(1

2


EDEN EDEN CREMA BROWN



60X120 CM | 24"X48" | 2'X4' MATT FINISH

>I 9 mm GLAZED VITRIFIED TILES

#### **EDEN BIANCO**



## HAZZLE BIANCO









MATT FINISH

>**l**< 9 mm

GLAZED VITRIFIED TILES

## HAZZLE SLATE



Random - 6

#### **HAZZLE BROWN**











MATT FINISH

>**l**< 9 mm

GLAZED VITRIFIED TILES

#### **GIALLO BLUE**



Random - 4

## GIALLO CREMA









MATT FINISH

>**l**< 9 mm


GLAZED VITRIFIED TILES

#### **GIALLO GREY**



Random - 4

#### **GIALLO GRIS**







GIALLO GRIS \_\_\_\_\_




MATT FINISH

k 9 mm


GLAZED VITRIFIED TILES

#### **NORWAY BIANCO**



Random - 5

#### **NORWAY GRIS**











MATT FINISH

>**I**< 9 mm


GLAZED VITRIFIED TILES


#### **NORWAY IVORY**



#### Random - 5

#### **NORWAY TAUPE**







1

2




MATT FINISH

>**I**< 9 mm

GLAZED VITRIFIED TILES


#### **NORWAY GREY**



Random - 5

#### SONIC HAZE










60X120 CM | 24"X48" | 2'X4' MATT FINISH

>I< 9 mm GLAZED VITRIFIED TILES

SONIC LIGHT



SONIC SLATE

Random - 6







1

(2

SONIC LIGHT

IC SONIC SLATE



MATT FINISH

>**I**< 9 mm

GLAZED VITRIFIED TILES


#### SONIC SAND



Random - 6

#### **SONIC BROWN**







1

2

SONIC SAND

SONIC BROWN



MATT FINISH

>**I**< 9 mm

GLAZED VITRIFIED TILES

#### **BETTON GREY**



Random - 8

## AZURE FOSSIL







#### ACCORD GLAMOUR DE MARBELLA

#### MEPAL WOOD BROWN



Random - 4

#### WONDER WOOD



Random - 4





Random - 4

#### **CHERRY WOOD**





#### **ASPEN VERDE WOOD**





Random - 3

#### 6001




60X120 CM | 24"X48" | 2'X4'

GLAZED VITRIFIED TILES

MATT FINISH

#### ORION CREMA



Random - 6

#### **ORION WHITE**



Random - 6

#### ANDESITE LIGHT



Random - 4

#### ANDESITE SIENNA




Random - 4





Random - 5






Random - 4

#### SERENITY BEIGE



Random - 3

#### SERENITY CEDAR



Random - 5

#### TRAVERTINO WHITE



Random - 4

#### **TIMBER WOOD**





GLAZED VITRIFIED TILES

MATT FINISH

#### **CONCORDE BEIGE**



Random - 4

#### **CONCORDE GRIGIO**












MATT FINISH

>k 9 mm


GLAZED VITRIFIED TILES

#### **DORIAN GREY**



Random - 5

#### **POLAR GRIS**









MATT FINISH

>**I**< 9 mm

GLAZED VITRIFIED TILES


#### **SANDSTONE GRAPHITE**



Random - 3

#### **SANDSTONE PERLA**









#### TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE OF ACCORD PGVT	MEAN VALUE OF ACCORD GVT	Method of Testing					
REGULATORY PROPERTIES									
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2					
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2					
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2					
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2					
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2					
Color difference	Unaltered	No change	No change	ISO-10545-16					
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER					
STRUCTURAL PROPERTIES	STRUCTURAL PROPERTIES								
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3					
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082					
MASSIVE MECHANICAL PROPER	MASSIVE MECHANICAL PROPERTIES								
Modulus of rupture	Min. 35 N/mm 2	Min. 40 N/mm 2	Min. 40 N/mm 2	ISO-10545-4					
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4					
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5					
SURFACE MECHANICAL PROPER	SURFACE MECHANICAL PROPERTIES								
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7					
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101					
THERMO HYGROMETRIC PROPE	HERMO HYGROMETRIC PROPERTIES								
Frost resistance	No damage	No damage	No damage	ISO-10545-12					
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9					
Moisture expansion	Nil	Nil	Nil	ISO-10545-10					
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8					
CHEMICAL PROPERTIES									
Chemical resistance	No damage	No damage	No damage	ISO-10545-13					
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14					
SAFETY PROPERTIES									
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17					
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.					
Lead & Cadmium giv en off	As per mfg	Does not yield	Does not yield	ISO-10545-15					
by glazed tiles		Pb. & Cd.	Pb. & Cd.						

#### PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x120cm	9.00 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	28.00 kg

